

SAFETY DATA SHEET

•				
1. Identification				
Product identifier	Tri-Con 45/55			
Other means of identification SDS number	345-USA-TCI			
Recommended use	Soil fumigant			
	information, specific instructions	s, or requireme	nts tha	product end-use labeling contains hazard at conflict with this Safety Data Sheet (SDS), ments on the labeling. See Section 15 of this
Recommended restrictions	Use of this product requires sup	pervision by a c	ertified	d pesticide applicator.
Manufacturer/Importer/Supplier	/Distributor information			
Company name Address	Trical, Inc. 8100 Arroyo Circle Gilroy, CA 95020-7305, USA			
Telephone	(831) 637-0195			
E-mail	sds@trical.com			
Emergency phone number	CHEMTREC (US/Canada) CHEMTREC (International)	1-800-424-93 +1 703-527-3		(24/7) (Collect calls accepted)
2. Hazard(s) identification	l .			
Physical hazards	Gases under pressure		Com	pressed gas
Health hazards	Acute toxicity, oral		Cate	gory 3
	Acute toxicity, dermal		Cate	gory 2
	Acute toxicity, inhalation		Cate	gory 1
	Skin corrosion/irritation		Cate	gory 1C
	Serious eye damage/eye irritati	on	Cate	gory 1
	Germ cell mutagenicity		Cate	gory 2
	Specific Target Organ Toxicity, Single Exposure		Cate	gory 1 (respiratory system damage)
	Specific Target Organ Toxicity, Single Exposure		Cate	gory 3 (respiratory tract irritation)
	Specific Target Organ Toxicity, Repeated Exposure		Cate	gory 1 (respiratory system damage)
	Specific Target Organ Toxicity, Repeated Exposure			gory 2 (Kidney, Lungs, Stomach, Heart, ous system, Musculo-skeletal system)
Environmental hazards	Hazardous to the aquatic enviro acute hazard	onment,	Cate	gory 1
	Hazardous to the ozone layer		Cate	gory 1
OSHA defined hazards	Not classified.			
Label elements			×	
Signal word	DANGER			

Hazard statement	Contains gas under pressure; may explode if heated. Toxic if swallowed. Fatal in contact with skin. Fatal if inhaled. Causes severe skin burns and eye damage. Suspected of causing genetic defects. Causes damage to organs (respiratory system). May cause respiratory irritation. Causes damage to organs (respiratory system) through prolonged or repeated exposure. May cause damage to organs (liver, kidney, lungs, stomach, heart, nervous system, musculoskeletal system) through prolonged or repeated exposure. Very toxic to aquatic life. Harms public health and the environment by destroying ozone in the upper atmosphere.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe gas. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear respiratory protection. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection (per Section 8).
Response	Specific treatment is urgent. If swallowed: Immediately call a poison center/doctor. Take off immediately all contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Collect spillage.
Storage	Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Lachrymator – Vapor extremely irritating to the eyes and respiratory tract.

3. Composition/information on ingredients

Mixtures	-		
Chemical name		CAS number	Concentration by weight %
Chloropicrin		76-06-2	55.0 *
Methyl Bromide		74-83-9	45.0 *
Composition comments	* Product label will reflect nominal a	active ingredient percenta	iges.
4. First-aid measures			
Inhalation	Remove victim to fresh air and kee oxygen, if available, or artificial res pocket mask equipped with a one- physician or poison control center f	piration, if needed. Induce way valve or other proper	e artificial respiration with the aid of a respiratory medical device. Call a
Skin contact	Remove contaminated clothing immediately and wash skin for 15-20 minutes with water, and if available, use soap. Call a physician or poison control center for treatment advice. Wash contaminated clothing before reuse. Refer to Section 4, General Information for more information on contaminated clothing.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	This material is a gas under norma	l atmospheric conditions	and ingestion is unlikely.
Most important symptoms/effects, acute and delayed	Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Causes respiratory distress and irritation. Early symptoms may include throat and nose irritation, nausea or vomiting. Prolonged exposure may cause chronic effects. Causes skin irritation.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measur give oxygen. Keep victim warm. Ke		cally. In case of shortness of breath, ion. Symptoms may be delayed.
General information	that medical personnel are aware of	F exposed or concerned: of the material(s) involved lothing before reuse. Disc	Get medical advice/attention. Ensure

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Per transport regulations, cylinders containing Chloropicrin are not equipped with relief valves or fusible overpressure devices.
Special protective equipment precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. ISOLATE for 300 meters (1,000 ft) in all directions. ALWAYS stay away from tanks engulfed in flame. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Heat from fire can cause a rapid build-up of pressure inside cylinders, which may cause explosive rupture.
General fire hazards	Contents under pressure. Pressurized container may explode when exposed to heat or flame.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe gas. Emergency personnel need self-contained breathing equipment. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. For small spill, consider initial isolation for at least 60 meters (200 feet). For large spill, consider initial isolation for at least 200 meters (600 feet).
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Isolate area until gas has dispersed. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (SARA 304).
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Valve protection caps must remain in place unless container is secured. Close valve after each use and when container is empty. Do not drop, drag, slide or roll cylinders on their sides. Do not subject cylinders to rough handling or to abnormal mechanical shock. Use a suitable hand truck or forklift to move heavier cylinders. Never insert an object (e.g. wrench, screwdriver, pry bar) into cap openings. Use an adjustable strap wrench to remove over-tight or rusted caps. Open valve slowly. Do not heat container by any means to increase the discharge rate of product from the container. Use only dry nitrogen gas to pressurize cylinders. Polyethylene or Teflon® tubing may be used to transfer this product at low pressures. Regulator must be operated with a secondary pressure relief valve. DO NOT use high pressure hose connection between the nitrogen supplying cylinder and this product's cylinder. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Do not breathe gas. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Store at temperatures not exceeding 55°C/131°F.

8. Exposure controls/personal protection

C

Occupational exposure limits				
Components		Туре	Value	
US. OSHA Table Z-1 Limit	s for Air Contamina	ints (29 CFR 1910.100	D)	
Methyl Bromide (CAS 7 Chloropicrin (CAS 76-0	-	Ceiling PEL	20 ppm 0.1 ppm	(80 mg/m3) (0.7 mg/m3)
US. ACGIH Threshold Lim	it Values			
Methyl Bromide (CAS 7 Chloropicrin (CAS 76-0	,	TLV-TWA TLV-TWA	1.0 ppm 0.1 ppm	(0.7 mg/m3)
US. NIOSH: Pocket Guide	to Chemical Hazard	ds		
Chloropicrin (CAS 76-0	6-2)	REL-TWA	0.1 ppm	(0.7 mg/m3)
Biological limit values	No biological exp	oosure limits noted for t	ne inaredient(s).	
Exposure guidelines				
US - California OELs: Skir	n designation			
Methyl Bromide (CAS 7	-	Can be	absorbed through the	skin.
US - Minnesota Haz Subs:	Skin designation a		C C	
Methyl Bromide (CAS 7	,	Skin des	ignation applies.	
US - Tennessee OELs: Sk	•			
Methyl Bromide (CAS 7 US ACGIH Threshold Limi	,		absorbed through the	skin.
Methyl Bromide (CAS 7		-	absorbed through the	skin
US. NIOSH: Pocket Guide	-			Skin.
Methyl Bromide (CAS 7			absorbed through the	skin.
	use process end levels below rec	closures, local exhaust commended exposure li	ventilation, or other er mits. If exposure limits	e matched to conditions. If applicable, ngineering controls to maintain airborne s have not been established, maintain s must be available when handling this
Individual protection measure	s, such as personal	I protective equipmen	t	
Eye/face protection	Wear safety glas	ses with side shields a	nd a face shield. Wea	r a full-face respirator, if needed.
Skin protection				
Hand protection	gloves when han		s performing tasks wi	o not wear chemical-resistant th potential for contact with liquid kin injury.
Other		sleeved shirts, long tro or other gas-confining		are cleaned after each wearing. Do
	For clean-up, we or Saranex.	ar chemical resistant g	oves, footwear, and c	lothing or coveralls such as Tychem
		cidental (Longer protec		eoprene gloves are acceptable. iton or Silver Shield ® gloves are
	For EPA end-use	e handlers (including ap	plicators):	
	 Wear long-sl Do not wear 	g tasks with NO potentia leeved shirt, long pants jewelry, goggles, tight ubber boots when hand	, shoes and socks. clothing, chemical-res	id fumigant: istant gloves, rubber protective
		g tasks with potential fo leeved shirt, long pants		migant:
	Wear chemical re not wear goggles		and footwear with soc	ks, plus protective eyewear (do
		uations, if liquid or vapo ble and discard as app		move gloves, apron and footwear

Respiratory protection	For non-handlers and non-applicators: If working in an environment where the eyes are stinging and watery due to exposure to this product, wear a NIOSH-approved full facepiece respirator with an organic vapor cartridge.
	 For all EPA handlers (including applicators): When an air-purifying respirator is required under the end-use label's Directions for Use, Protection for Handlers, Respiratory Protection and/or Stop Work Triggers section, handlers (including applicators) must wear a NIOSH-certified full-facepiece air-purifying respirator with cartridges certified by the manufacturer for protection from exposure to methyl bromide at concentrations up to 5 ppm (e.g., a 3M air-purifying respirator equipped with 3M Model 60928 Organic Vapor/Acid Gas/P100 cartridges).
	 Emergency or planned entry into unknown concentrations or IDLH conditions: Any self-contained breathing apparatus that has a full face piece and is operated in a pressure- demand or other positive-pressure mode.
	 Escape: Air-purifying respirator equipped with full facepiece and an organic vapor cartridge. Any air-purifying hood style CBRN escape-certified respirator Air-purifying respirator with canisters (TC-14G) that include the escape gas mask (canister) respirator, the gas mask (canister) respirator, and the filter self-rescuer. Any self-contained breathing apparatus with hood or full-facepiece mask. Respirators certified "escape only" can only be used for escape purposes and CANNOT be used for responding to emergencies.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	NOTE: Handlers and applicators must follow the end-use pesticide label instructions for each of the task situations that require personal protective equipment.
	When using, do not eat, drink or smoke. Do not get this material on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

, ,	•
Appearance	
Physical state	Gas.
Form	Compressed gas.
Color	Colorless.
Odor	Irritating.
Odor threshold	700 ppb in 2-5 seconds (Chloropicrin)
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.667 @ 20 °C (68 °F)
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	13.92 lbs/gal @ 20 °C (68 °F)

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat may cause the cylinders to rupture or burst. Contact with incompatible materials.
Incompatible materials	Aluminum. Magnesium. Zinc. Alkali metals. Strong bases.
Hazardous decomposition products	During combustion: Carbon oxides. Bromides. Nitrogen oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	Fatal in contact with skin. Causes severe skin burns.
Eye contact	Causes serious eye damage. Lachrymation (discharge of tears).
Ingestion	Toxic if swallowed. Not likely, due to the form of the product.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Early symptoms of low exposure are stinging/tearing of the eyes and irritation of the throat. Nausea or vomiting may occur.

Information on toxicological effects

Acute toxicity

Fatal in contact with skin. Fatal if inhaled. Toxic if swallowed.

Component	S	Species	Test Results
Methyl Brom	ide (CAS 74-83-9)		
Acute	Dermal, LD50 Inhalation, LC50	Rabbit Rat	58 mg/kg 20 ppm
Chloropicrin	(CAS 76-06-2)		
Acute	<i>Dermal,</i> LD50 <i>Inhalation</i> , LC50 <i>Oral,</i> LD50	Rabbit Rat Rat	50 mg/kg, (converted acute toxicity point estimate) 18.9 ppm, 4 hours, (126.6 mg/m3) 37.5 mg/kg
			> 2000 ppb, 10 minutes, Human response - life-threatening effects including pulmonary edema can occur.
			> 580 ppb, 8 hours, Human response - life-threatening effects including pulmonary edema can occur.
			> 300 ppb, Human response - respiratory symptoms may increase in severity and include difficulty in breathing.
			> 150 ppb, Human response - headache, nausea, and vomiting may occur. These symptoms are temporary and reversible following termination of exposure.
			73 ppb, Human sensory irritation threshold (eye irritation).
			73 - 150 ppb, Human response - mild irritant to eyes and throat.

Skin corrosion/irritation	Causes severe skin burns.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitization			
Respiratory sensitization	Not classified.		
Skin sensitization	Not classified.		
Germ cell mutagenicity	Suspected of causing genetic defects.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall Evaluation of Carcinogenicity			
Methyl Bromide (CAS 74-83-9) 3 Not classifiable as to carcinogenicity to humans.			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity – single exposure	Causes damage to organs (respiratory system). May cause respiratory irritation.		
Specific target organ toxicity – repeated exposure	Causes damage to organs (respiratory system, liver, kidney, lungs, stomach, heart, nervous system, musculoskeletal system) through prolonged or repeated exposure. May cause damage to organs (Kidney, Lungs, Stomach, Heart, Nervous system, Musculo-skeletal system) through prolonged or repeated exposure.		
Aspiration hazard	Not likely, due to the form of the product.		
Chronic effects	Causes damage to organs through prolonged or repeated exposure.		

12. Ecological information

Detoxicity Very toxic to aquatic life. Harms public health and the environment by destroying upper atmosphere.		environment by destroying ozone in the
	Species	Test Results
6-2)		
EC50	Oyster (Crassostrea cucullata)	6.4 µg/l, 96 hours
EC50	Bluegill (Lepomis macrochirus)	50 µg/l, 96 hours
	Fish	11 μg/l, 96 hours
	Sheepshead minnow (Cyprinodon variegatus)	100 μg/l, 96 hours
NOEC	Lemna minor	11 μg/l, 7 days
	upper atm 6-2) EC50 EC50	upper atmosphere. Species 6-2) EC50 Oyster (Crassostrea cucullata) EC50 Bluegill (Lepomis macrochirus) Fish Sheepshead minnow (Cyprinodon variegatus)

....

Persistence and degradabilityNo data is available on the degradability of this product.Bioaccumulative potentialNo data available.

Partition coefficient n-octanol / witer (log Kow)Methyl Bromide (CAS 74-83-9)1.19Chloropicrin (CAS 76-06-2)2.38Mobility in soilThe gas will disperse in the air.Other adverse effectsDangerous for the environment: May damage the ozone layer.

13. Disposal considerations

Disposal instructions	Follow EPA approved label for Pesticide disposal directions. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not discharge this product or its effluent into lakes, rivers, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT UN number UN proper shipping name Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards Marine pollutant Special precautions for user Special provisions Packaging exceptions Packaging non bulk	UN1581 Chloropicrin and methyl bromide mixtures 2.3 - Not applicable. Yes (Chloropicrin) Read safety instructions, SDS and emergency procedures before handling 2, B9, B14, N86, T50 None. 193
Packaging bulk Reportable quantity (RQ)	314, 315 Methyl Bromide is 1000 pounds (454 kilograms).
IATA UN number UN proper shipping name Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards Special precautions for user	Not available. Forbidden. Not available. - Not applicable. No. IATA. Not permitted for transport.
IMDG UN number UN proper shipping name Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards Marine pollutant EmS Special precautions for user	UN1581 CHLOROPICRIN AND METHYL BROMIDE MIXTURE 2.3 - Not applicable. Yes (Chloropicrin) F-C, S-U Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

15. Regulatory information

US federal regulations

EPA FIFRA	This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the
	classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced
	below. The pesticide label also includes other important information, including directions for use.

DANGER, POISON, Skull and crossbones, Extremely hazardous liquid and vapor under pressure. Fatal if swallowed or inhaled. Corrosive. Causes skin burns and irreversible eye damage, which may have a delayed onset. Do not breathe vapor or gas. Inhalation may cause serious acute illness or delayed lung, nerve, or brain injury. Do not get in eyes, on skin or on clothing. Note: Chloropicrin may be irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the eyes, producing tearing. If these symptoms occur, leave the fumigation area immediately.

U.S OSHA This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Methyl Bromide (CAS 74-83-9) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA Hazard categories (for Tier II reporting)

See Physical and Health hazards listed in Section 2 of this SDS.

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity
Methyl Bromide	74-83-9	1000 lbs	1000 lbs

SARA 311/312 Hazardous chemical

Yes.

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Chloropicrin	76-06-2	55.0	
Methyl Bromide	74-83-9	45.0	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methyl Bromide (CAS 74-83-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Methyl Bromide (CAS 74-83-9) Chloropicrin (CAS 76-06-2)

US. New Jersey Worker and Community Right-to-Know Act

Methyl Bromide (CAS 74-83-9) Chloropicrin (CAS 76-06-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Methyl Bromide (CAS 74-83-9) Chloropicrin (CAS 76-06-2)

US. Rhode Island RTK

Methyl Bromide (CAS 74-83-9) Chloropicrin (CAS 76-06-2)

US. California Proposition 65

The use of Methyl Bromide (CAS 74-83-9) as a fumigant on agricultural commodities, in soil, or on ornamentals is **not** subject to the requirements of Proposition 65.

International Inventories	Methyl Bromide (CAS 74-83-9)
	Chloropicrin (CAS 76-06-2)

Country(s) or region	Inventory name On	nventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
	Domestic Substances List (DSL)	
	Non-Domestic Substances List (NDSL)	
	Inventory of Existing Chemical Substances in China (IECSC)	
	European Inventory of Existing Commercial Chemical Substances (EIN	
Europe	European List of Notified Chemical Substances (ELINCS)	Ńo
	Inventory of Existing and New Chemical Substances (ENCS)	
	Existing Chemicals List (ECL)	
Mexico	National Inventory of Chemical Substances (INSQ)	Yes
New Zealand	New Zealand Inventory (NZIoC)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Chemical Substance Inventory (TCSI)	Yes
	RicoToxic Substances Control Act (TSCA) Inventory	

* A "Yes" indicates this product complies with inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Version 5 date	March 20, 2018	
Revision history		
11-15-2014	Initial version	
02-17-2015	Section 3:	Switched order of ingredients
04-15-2015	Section 2:	Added (per Section 8) in Prevention information
	Section 8:	Revised Skin Protection information
01-10-2018	Sections 3, 15:	Revised composition of ingredients to reflect concentration by weight %
	Section 15:	Revised SARA Hazard Categories
03-20-2018	Section 15:	Revised California Proposition 65 information
		·

Further information

None.

. .

NFPA ratings



NFPA Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. Inherent Risks of Use: It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.) abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of the seller. To the extent consistent with applicable law, all such risks shall be assumed by buyer.